

# NOAH WALL HANGING

**Finished size 74 by 9.5 inches**

## **REQUIREMENTS:**

- *Fabric usage based on 44 inch fabric widths*
- Embroidery Blocks - Cut 2 7 inch strips across the fabric, then cross cut 10 squares 7 by 7 inch (will be cut down to 6 inch blocks when embroidery completed)
- Borders – For each color cut 3 2.5 inch strips (left overs will be used to make the wall hanging binding)
- Backing – at least 20 inches by fabric width
- Batting to fit at least 75 by 10 inches
- 
- Stabiliser – Heavy Tear-away stabiliser
- Your choice of embroidery threads as per design
- Bobbin and construction thread of your choice
- iron to press as you construct your apron
- 



## **EMBROIDERY**

Stabilise and hoop the main block fabric, then embroider each block following the color chart, or using colors of your choice.

Trim each block back to a 6 inch square.

\*\* To ensure each train is 'lined' up, I measured 1 inch from the bottom of the wheels and made that the bottom of each block, then centred from that point.



## CONSTRUCTION

¼ inch seam allowances used throughout

Add a 2.5 inch border to top and bottom of each block. It easiest to show this in photos.

(If you prefer to cut the strips prior to stitching, then each border should be 2.5 by 6 inches)

\*\* if you are following the rainbow pattern, then the bottom border of each block, should match the color of the train





Attach borders to each side following color pattern as per main photo – once again if you wish to cut your strips prior to attaching to blocks, then each strip should be 2.5 by 10.



## **QUILTING**

Unless you have really wide fabric, you will need to have a join in your backing fabric – Simply cut 2 10 inch strips from your fabric width and join

Make a quilt sandwich by laying backing fabric rightside down, lay batting on top of that, then place completed wall hanging on top of sandwich with rightside towards you.

Pin in place (alternatively you can use quilting spray to temporarily glue together)

I simply stitched in-the-ditch around each square – that was it!

## **BINDING**




To join the remaining border strips to make the wall hanging binding, with right sides together and matching each strip at a 45 degree angle, stitch across the angle.

Trim back seam allowance



Press the length of strip in half wrongsides together  
With right sides together, and matching raw edge of binding to raw edge of wall hanging, stitch.



Fold binding to back and handsew in place.